

**SECTION I**

<b>PRODUCT NAME OR NUMBER</b> (as it appears on label) Magic 10/30 Aerospace SuperStrip-A®		
<b>MANUFACTURER'S NAME</b> U.S. Technology Corporation		<b>EMERGENCY TELEPHONE NO.</b> (330) 455-1181
<b>ADDRESS</b> (Number, Street, City, and Zip Code) 1446 W. Tuscarawas Street, Canton, OH 44702		<b>DATE PREPARED/REVISED – NO.</b> April 20, 2010-4
<b>MATERIAL DESCRIPTION, PROPER SHIPPING NAME</b> Plastic Abrasive, Thermoset Polymer/Dense Particle Abrasive		
<b>HAZARD CLASSES (as applicable):</b> Non-regulated		
		<b>FORMULA:</b> N.A.

**SECTION II – INGREDIENTS**  
(list all ingredients)

CAS REGISTRY NO.	Approx. %W	CHEMICAL NAME (S)	OSHA PEL	ACGIH TLV	Other Limits Recommended
9011-05-6 9003-08-1 9004-34-6 1318-93-0	>1%	Polymerized Urea-Melamine Formaldehyde Compound w/Alpha Cellulose Filler and Montmorillonite Clay			
2764-13-8	<1%	Anti-Static Agent – Cal Stat600			
5280-80-8 13463-67-7 12769-96-9	<1%	Pigments and Additives			
1344-28-1	>1%	Fused Aluminum Oxide			

**SECTION III – PHYSICAL DATA**

<b>BOILING POINT</b> ___°F ___°C	N.A.	<b>SPECIFIC GRAVITY (H<sub>2</sub>O=1)</b>	2.00 2.06		
<b>MELTING POINT</b> ___°F ___°C	N.A.	<b>PERCENT VOLATILE BY VOLUME (%)</b>	N.A.	<b>PERCENT SOLID BY WEIGHT (%)</b>	100
<b>VAPOR DENSITY (AIR=1)</b>	N.A.	<b>EVAPORATION RATE (=1)</b>	N.A.		
<b>SOLUBILITY IN WATER</b>	N.A.	<b>pH=</b>	4-8		
<b>APPEARANCE AND ODOR:</b> Multi-colored granules with slight plastic odor				<b>MATERIAL FORM:</b> Solid	

**SECTION IV – FIRE AND EXPLOSION HAZARD DATA**

<b>FLASH POINT</b> ___°F ___°C: N.A.	<b>FLAMMABLE:</b> N.A.	<b>LEL</b>	<b>UEL</b>
		N.A.	N.A.
<b>EXTINGUISHING MEDIA:</b> Carbon dioxide, dry chemicals or water fog.			
<b>SPECIAL FIRE FIGHTING PROCEDURES:</b> Do not use high-pressure water stream. Fog nozzles are preferable.			
<b>UNUSUAL FIRE AND EXPLOSION HAZARDS:</b> Maintain normal good housekeeping for control of dust.			

## SECTION V – HEALTH HAZARD DATA

<b>EFFECTS OF OVEREXPOSURE – Conditions to Avoid:</b> Mechanical injury to eyes and/or skin can occur. Excessive dust inhalation may be harmful.	<b>THRESHOLD LIMIT VALUE PERMISSIBLE EXPOSURE LIMIT</b>
<b>PRIMARY ROUTES OF ENTRY:</b> <input checked="" type="checkbox"/> Inhalation <input checked="" type="checkbox"/> Skin Contact <input type="checkbox"/> Other (specify)	
<b>EMERGENCY AND FIRST AID PROCEDURES:</b> In case of eye or skin irritation, flush with plenty of water for 15 minutes. Inhalation – remove to fresh air and contact physician if necessary.	

## SECTION VI – REACTIVITY DATA

<b>STABILITY</b>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 2px;">UNSTABLE</td> <td style="width: 20px;"></td> </tr> <tr> <td style="padding: 2px;">STABLE</td> <td style="text-align: center; padding: 2px;">x</td> </tr> </table>	UNSTABLE		STABLE	x	<b>CONDITIONS TO AVOID:</b>	
UNSTABLE							
STABLE	x						
<b>INCOMPATIBILITY (materials to avoid):</b> No specific incompatibility							
<b>HAZARDOUS DECOMPOSITION or BYPRODUCTS:</b> Smoke, carbon dioxide, carbon monoxide, formaldehyde, hydrogen cyanide at +500°F.							
<b>HAZARDOUS POLYMERIZATION</b>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 2px;">MAY OCCUR</td> <td style="width: 20px;"></td> </tr> <tr> <td style="padding: 2px;">MAY NOT OCCUR</td> <td style="text-align: center; padding: 2px;">x</td> </tr> </table>	MAY OCCUR		MAY NOT OCCUR	x	<b>CONDITIONS TO AVOID:</b>	
MAY OCCUR							
MAY NOT OCCUR	x						

## SECTION VII – SPILL OR LEAK PROCEDURES

<b>STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:</b> Remove open flame, sparks, hot surfaces and oxidizing agents. Sweep up and place waste in disposal container.
<b>WASTE DISPOSAL METHOD:</b> Sanitary landfill in accordance with Federal, State, and Local regulations.
<b>CERCLA (Superfund) REPORTABLE QUANTITY (in lbs.):</b> N.A.
<b>RCRA HAZARDOUS WASTE NO. (40 CFR 261.33):</b> N.A.
<b>VOLATILE ORGANIC COMPOUND (VOC) (as packaged, minus water):</b> N.A.
<input type="checkbox"/> Theoretical _____ lbs. /gal. <input type="checkbox"/> Analytical _____ lbs. /gal

## SECTION VIII – SPECIAL PROTECTION INFORMATION

<b>RESPIRATORY PROTECTION (Specify Type):</b> Where required, use NIOSH/MSHA approved respiratory protection in compliance with OSHA regulations (i.e. 1910.134 et. al.).						
<b>VENTILATION</b>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 2px;"><b>LOCAL EXHAUST (Specify Rate):</b> Where necessary to maintain exposure levels to OSHA permissible levels.</td> <td style="padding: 2px;"><b>SPECIAL:</b> Explosion proof may be necessary if aerated or airveyed.</td> </tr> <tr> <td style="padding: 2px;"><b>MECHANICAL (General – Specify Rate):</b> Acceptable</td> <td style="padding: 2px;"><b>OTHER:</b></td> </tr> </table>	<b>LOCAL EXHAUST (Specify Rate):</b> Where necessary to maintain exposure levels to OSHA permissible levels.	<b>SPECIAL:</b> Explosion proof may be necessary if aerated or airveyed.	<b>MECHANICAL (General – Specify Rate):</b> Acceptable	<b>OTHER:</b>	
<b>LOCAL EXHAUST (Specify Rate):</b> Where necessary to maintain exposure levels to OSHA permissible levels.	<b>SPECIAL:</b> Explosion proof may be necessary if aerated or airveyed.					
<b>MECHANICAL (General – Specify Rate):</b> Acceptable	<b>OTHER:</b>					
<b>PROTECTIVE GLOVES (Specify Type):</b> Normal	<b>EYE PROTECTION (Specify Type):</b> Safety goggles					
<b>OTHER PROTECTION EQUIPMENT:</b> Respirator hood, if necessary.						

## SECTION IX – SPECIAL PRECAUTIONS

<b>PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:</b> Store in closed, properly labeled containers in a cool ventilated area. Keep away from heat, sparks, open flame and oxidizing agents. Do not transfer to unmarked containers.
<b>OTHER PRECAUTIONS:</b>

Prepared by:

<b>Name (print):</b> Dan Kinsinger
<b>Title:</b> Quality Assurance Manager
<b>Date Reviewed:</b> April 20, 2010-4